

BOTHALIA

VOLUME 41

INDEX



ISSN 0006 8241

2011



Digitized by the Internet Archive
in 2016

<https://archive.org/details/bothaliavolume4141unse>

BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 41

Scientific Editors: O.A. Leistner, G. Germishuizen
Technical Editor: B.A. Momberg



2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001

ISSN 0006 8241

2011

New combinations, names, sections, series, species, statuses, subgenera and subspecies in *Bothalia* 41 (2011)

- Adenogramma natans* J.C.Manning & Goldblatt, sp. nov., 191
Albuca gariepensis J.C.Manning & Goldblatt sp. nov., 315
Albuca lebaensis (Van Jaarsv.) J.C.Manning & Goldblatt, comb. nov., 297
Ammocharis deserticola Snijman & Kolberg, sp. nov., 308
Antimima paripetala (L.Bolus) Klak, comb.nov., 293
Bracteolatus J.C.Manning & Goldblatt, ser. nov., 254
Brevibracteae Goldblatt & J.C.Manning, sect. nov., 246
Cheilanthes deltoidea Kunze subsp. **silicicola** Kloppe & A.E.van Wyk, subsp. nov., 204
Combretum psidioides Welw. subsp. **grandifolium** (F.Hoffm.) Jordaan, stat. nov., 147
Combretum sylvicola O.Maurin, comb. et nom. nov., 168
Cyperus atriceps (Kük.) C.Archer & Goetgh., comb. & stat. nov., 300
Cyperus austro-africanus C.Archer & Goetgh., nom. nov., 300
Cyperus decurvatus (C.B.Clarke) C.Archer & Goetgh., comb. & stat. nov., 300
Cyperus palmatus (Lye) C.Archer & Goetgh., comb. & stat. nov., 300
Cyperus uitenhagensis (Steud.) C.Archer & Goetgh., comb. nov., 301
Ferraria flava Goldblatt & J.C.Manning, sp. nov., 31
Ferraria macrochlamys subsp. **kamiesbergensis** (M.P.de Vos) Goldblatt & J.C.Manning, comb. et stat. nov., 36
Ferraria macrochlamys subsp. **serpentina** Goldblatt & J.C.Manning, subsp. nov., 37
Ferraria ornata Goldblatt & J.C.Manning, sp. nov., 24
Ferraria parva Goldblatt & J.C.Manning, sp. nov., 26
Ferraria spithamea (Baker) Goldblatt & J.C.Manning, comb. nov., 15
Gasteria croucheri (Hook.f) Baker subsp. **pondoensis** N.R.Crouch, Gideon F.Sm. & D.G.A.Styles, subsp. nov., 183
Gladiolus diluvialis Goldblatt & J.C.Manning, nom. nov., 324
Ixia alata Goldblatt & J.C.Manning, sp. nov., 121
Ixia cedar montana Goldblatt & J.C.Manning, sp. nov., 126
Ixia dolichosiphon Goldblatt & J.C.Manning, sp. nov., 126
Ixia ecklonii Goldblatt & J.C.Manning, sp. nov., 118
Ixia linderi Goldblatt & J.C.Manning, sp. nov., 97
Ixia linearifolia Goldblatt & J.C.Manning, sp. nov., 121
Ixia longituba N.E.Br. subsp. **macrosiphon** Goldblatt & J.C.Manning, subsp. nov., 95
Ixia monticola Goldblatt & J.C.Manning, sp. nov., 115
Ixia parva Goldblatt & J.C.Manning, nom. nov., 116
Ixia pavonia Goldblatt & J.C.Manning, sp. nov., 120
Ixia ramulosa (G.J.Lewis) Goldblatt & J.C.Manning, stat. nov., 117
Ixia recondita Goldblatt & J.C.Manning, sp. nov., 103
Ixia saundersiana Goldblatt & J.C.Manning, sp. nov., 111
Ixia stenophylla Goldblatt & J.C.Manning, nom. et stat. nov., 129
Lachnospermum neglectum Schltr. ex J.C.Manning & Goldblatt, sp. nov., 304
Metathelypteris burrowsiorum N.R.Crouch, sp. nov., 193
Octopoma nanum (L.Bolus) Klak, comb. nov., 293
Ornithoglossum pulchrum Snijman, B.Nord. & Mannheimer, sp. nov., 231
Pilularia dracomontana N.R.Crouch & J.Wesley-Smith, sp. nov., 201
Rhynchosia coddii Germish., sp. nov., 319
Romulea pilosa J.C.Manning & Goldblatt, sp. nov., 269
Romulea quarticola J.C.Manning & Goldblatt, sp. nov., 272
Romulea rosea var. **muirii** (N.E.Br.) J.C.Manning & Goldblatt, comb. et stat. nov., 275
Subgen. *Glutinosae* (M.P.de Vos) Goldblatt & J.C.Manning, subgen. & comb. nov., 11
Therecianthus bulbiferus Goldblatt & J.C.Manning, sp. nov., 254
Therecianthus elandsmontanus Goldblatt & J.C.Manning, sp. nov., 263
Therecianthus intermedius J.C.Manning & Goldblatt, nom. et stat. nov., 247
Tritonia cedar montana Goldblatt & J.C.Manning, sp. nov., 171
Tritonia linearifolia Goldblatt & J.C.Manning, sp. nov., 173
Wahlenbergia suffruticosa Cupido, sp. nov., 179
Xenoscapa grandiflora Goldblatt & J.C.Manning, sp. nov., 284
Xiphotheca rosmarinifolia A.L.Schutte, sp. nov., 298

CONTENTS

| | Page | Date |
|-------|---------|-----------|
| No. 1 | 1–230 | May 2011 |
| No. 2 | 231–388 | Oct. 2011 |

| | |
|--|-----|
| ARCHER, C. & GOETGHEBEUR, P. New names and new combinations in <i>Cyperus</i> for southern Africa (Cyperaceae) | 300 |
| BESTER, S.P. & BERRUTI, S.M. First records of <i>Orbea cooperi</i> in Gauteng and Mpumalanga Provinces, FSA region (Apocynaceae–Asclepiadoideae–Ceropegieae) | 295 |
| BESTER, S.P. & JOUBERT, L. Distribution of <i>Cryptolepis delagoensis</i> (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae) | 199 |
| CROUCH, N.R. <i>Metathelypteris burrowsiorum</i> , a new species from Swaziland and a first genus record for southern Africa (Pteridophyta–Thelypteridaceae) | 193 |
| CROUCH, N.R. & BURROWS, J.E. New pteridophyte records for the flora of Swaziland (Pteridophyta) | 181 |
| CROUCH, N.R. & SMITH, G.F. <i>Furcraea foetida</i> : an invading alien in South Africa (Agavaceae) | 196 |
| CROUCH, N.R., SMITH, G.F. & STYLES, D.G.A. <i>Gasteria croucheri</i> subsp. <i>pondoensis</i> , a new cremnophyte from Pondoland, South Africa (Asphodelaceae: Alooideae) | 183 |
| CROUCH, N.R. & WESLEY-SMITH, J. <i>Pilularia dracomontana</i> , a new species of pillwort from the KwaZulu-Natal Drakensberg, South Africa (Pteridophyta–Marsileaceae) | 201 |
| CUPIDO, C.N. A new species of <i>Wahlenbergia</i> from Western Cape, South Africa (Campanulaceae) | 178 |
| DE SOUSA, F., FIGUEIREDO, E. & SMITH, G.F. A new and an overlooked record of <i>Cyphostemma</i> (Planch.) Alston in Angola (Vitaceae) | 294 |
| FIGUEIREDO, E., PAIVA, J., STÉVART, T., OLIVEIRA, F. & SMITH, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe | 41 |
| GERMISHUIZEN, G. A new species of <i>Rhynchosia</i> from the northern provinces of South Africa (Fabaceae) | 319 |
| GOLDBLATT, P. & MANNING, J.C. Systematics and biology of the African genus <i>Ferraria</i> (Iridaceae: Irideae) | 1 |
| GOLDBLATT, P. & MANNING, J.C. Systematics of the southern African genus <i>Ixia</i> (Iridaceae). 3. Sections <i>Hyalis</i> and <i>Morphixia</i> | 83 |
| HERMAN, P.P.J. & SWELANKOMO, N. <i>Vernonia</i> (tribe Vernonieae) and related genera in southern Africa: updates and corrections (Asteraceae) | 176 |
| JORDAAN, M., VAN WYK, A.E. & MAURIN, O. A conspectus of <i>Combretum</i> (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections | 135 |
| JORDAAN, M., VAN WYK, A.E. & MAURIN, O. Generic status of <i>Quisqualis</i> (Combretaceae), with notes on the taxonomy and distribution of <i>Q. parviflora</i> | 161 |
| KLAK, C. New combinations in <i>Antimima</i> and <i>Octopoma</i> (Aizoaceae: Ruschioideae) | 292 |
| KLOPPER, A.W. & KLOPPER, R.R. <i>Selaginella nivea</i> , a new lycophyte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae) | 321 |
| KLOPPER, R.R. & VAN WYK, A.E. A new subspecies of <i>Cheilanthes deltoidea</i> from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae) | 204 |
| KOEKEMOER, M. The true identity of <i>Oxylaena acicularis</i> (Asteraceae) | 187 |
| KOEKEMOER, M. <i>Bryomorphe</i> and <i>Dolichothrix</i> (Gnaphalieae–Relhaniinae): taxonomy and nomenclature (Asteraceae) | 324 |
| LAMPRECHT, A.J.H., CILLIERS, S.S., GÖTZE, A.R. & DU TOIT, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa | 327 |
| LUBBE, C.S., SIEBERT, S.J. & CILLIERS, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa | 351 |
| MANNING, J.C. & GOLDBLATT, P. <i>Tritonia cedarimontana</i> and <i>T. linearifolia</i> (Crocoideae), two new species from the Cape Floristic Region; <i>T. lineata</i> var. <i>parvifolia</i> included in <i>T. gladiolaris</i> ; and the correct author citation for <i>T. strictifolia</i> (Iridaceae) | 171 |
| MANNING, J.C. & GOLDBLATT, P. Taxonomic revision of the genus <i>Thereianthus</i> (Iridaceae: Crocoideae) | 239 |
| MANNING, J.C. & GOLDBLATT, P. Review of the genus <i>Xenoscapa</i> (Iridaceae: Crocoideae), including <i>X. grandiflora</i> , a new species from southern Namibia | 283 |

| | |
|---|-----|
| MANNING, J.C. & GOLDBLATT, P. <i>Ornithogalum lebaense</i> transferred to <i>Albuca</i> (Hyacinthaceae) | 297 |
| MANNING, J.C. & GOLDBLATT, P. <i>Lachnospermum neglectum</i> (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape | 304 |
| MANNING, J.C. & GOLDBLATT, P. <i>Albuca gariepensis</i> (Hyacinthaceae: Ornithogaloideae), a new species of <i>A.</i> subgen. <i>Namibiogalum</i> from Gordonia, South Africa, and <i>A. prasina</i> transferred to <i>Ornithogalum</i> | 314 |
| MANNING, J.C. & GOLDBLATT, P. <i>Gladiolus dihuvalis</i> (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym <i>G. halophilus</i> | 324 |
| MANNING, J.C., GOLDBLATT, P. & FOREST, F. <i>Adenogramma natans</i> , a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae) | 189 |
| MANNING, J.C., GOLDBLATT, P. & HARROWER, A.D. <i>Romulea pilosa</i> and <i>R. quartzicola</i> (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for <i>R. amoena</i> , <i>R. neglecta</i> and <i>R. rosea</i> var. <i>reflexa</i> | 269 |
| MOTEETEE, A. & VAN WYK, B-E. The medical ethnobotany of Lesotho: a review | 209 |
| MUCINA, L. & SNIJMAN, D.A. <i>Maireana brevifolia</i> (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa | 235 |
| SCHUTTE-VLOK, A.L. A new species of <i>Xiphotheca</i> from the Western Cape, South Africa (Fabaceae) | 298 |
| SIEBERT, S.J., SIEBERT, F. & DU TOIT, M.J. The extended occurrence of Maputaland Woody Grassland further south in KwaZulu-Natal, South Africa | 341 |
| SMITH, G.F. Tribute to Gerrit Germishuizen, editor of <i>Bothalia</i> | 229 |
| SMITH, G.F. Tribute to Beverley Momborg, technical editor in the publications section of the South African National Biodiversity Institute | 363 |
| SMITH, G.F. & FIGUEIREDO, E. Obituary: Franz Sebastian Müller (1913–2010) | 365 |
| SNIJMAN, D.A. & KOLBERG, H. <i>Ammocharis deserticola</i> (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus | 308 |
| SNIJMAN, D.A., NORDENSTAM, B. & MANNHEIMER, C. <i>Ornithoglossum pulchrum</i> (Colchicaceae: Colchiceae), a new species from southern Namibia | 231 |
| STEENKAMP, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010 | 369 |
| STEYN, H.M. <i>Anticharis juncea</i> , an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae) | 301 |
| STRUWIG, M., SIEBERT, S.J. & KLAASSEN, E.S. Notes on <i>Commicarpus</i> in southern Africa, including a new record for Namibia (Nyctaginaceae) | 289 |
| SWELANKOMO, N. FSA contributions 19: Asteraceae: Anthemideae: <i>Eumorphia</i> | 277 |
| VAN ROOY, J. New and interesting records of mosses in the <i>Flora of southern Africa</i> area: 5. New provincial records (Bryophyta) | 188 |
| VAN ROOY, J., PHEPHU, N. & PEROLD, S.M. New liverwort distribution records in South Africa (Marchantiophyta) | 185 |
| VOSA, C.G., SIEBERT, S.J. & VAN WYK, A.E. Micromorphology and cytology of <i>Prototulbaghia siebertii</i> , with notes on its taxonomic significance (Alliaceae) | 311 |

INDEX

- Acidanthera capensis* (Houtt.) Benth. ex Baker, 99
Adenogramma natans J.C.Manning & Goldblatt, 191
 Africa, 161
 South, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351
 southern, 1, 83, 135, 161, 176, 193, 199, 239, 269, 283, 289, 300
 tropical, 1
 Agavaceae, 196, 351
Agave foetida L., 197
Agretia pallidiflavens Eckl., 106
 Aizoaceae, 292
 Albuca
 gariensis J.C.Manning & Goldblatt, 315
 lebaensis (Van Jaarsv.) J.C.Manning & Goldblatt, 297
 prasina (Ker Gawl.) J.C.Manning & Goldblatt, 318
 subgen. *Namibiogalum* (U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldblatt, 315
 alien
 invader, 196
 plants, 351
 Alliaceae, 311
Allosorus deltoideus (Kunze) Kuntze, 206
 Alooiaceae, subfam., Asphodelaceae, 183
 Amaryllidaceae, 308
 Amaryllideae, tribe, Amaryllidaceae, 308
Ammocharis deserticola Snijman & Kolberg, 308
Anaglypha
 acicularis Benth., 187
 aspera DC., 187
 Angola, 294
Angustimarginata Engl. & Diels, sect., Combretum Loeffl., 137
Angustisiphon, ser., sect. *Hyalis*, *Ixia* L., 104
Anomatheca
 calamifolia Klatt, 252
 fistulosa (Spreng. ex Klatt) Goldblatt, 286
 sect. *Xenoscapa* Goldblatt, 284
 Anthemideae, tribe, subfam. Asteroideae, Asteraceae, 277
Anticharis juncea L.Bolus, 300, 303
 Antimima
 crassifolia (L.Bolus) H.E.K.Hartmann, 293
 hexamera (L.Bolus) Klak, 293
 paripetala (L.Bolus) Klak, 293
Aphelaxis ericoides (Lam.) Sweet, 325
 Apocynaceae, 199, 295
 aquatic species, 189
 Archer, C. & Goetghebeur, P. New names and new combinations in *Cyperus* for southern Africa (Cyperaceae), 300
Argyrocome ericoides (Lam.) Lam., 325
Argyrodendron petersii Klotzsch, 152
 Asclepiadoideae, subfam., Apocynaceae, 295
 Asphodelaceae, 183
 Asteraceae, 176, 187, 277, 304, 324, 351
 Asteroideae, subfam., Asteraceae, 304
 Australia, 235
Babiana longiflora (P.J.Bergius) Steud., 99
Beilia Eckl., 245
Beilia Eckl. ex Kuntze, 245
 spicata (L.) ex Kuntze, 259
 var. *brevifolia* Kuntze, 266
 var. *triticea* (Thunb.) Kuntze, 257
 triticea (Thunb.) Eckl., 257
 Berruti, S.M., 295
 Bester, S.P. & Berruti, S.M. First records of *Orbea cooperi* in Gauteng and Mpumalanga Provinces, FSA region (Apocynaceae–Asclepiadoideae–Ceropegieae), 295
 Bester, S.P. & Joubert, L. Distribution of *Cryptolepis delagoensis* (Periplocoideae–Cryptolepideae), a subcontinental southern African endemic and selection of a neotype (Apocynaceae), 199
 Boerhavia
 helenae Roem. & Schult., 290
 stellata Bojer, 290
 stellata Wight, 290
Bracteolatus J.C.Manning & Goldblatt, ser., sect. *Ther-eianthus*, 254
 Braun-Blanquet method, 327
 Brevibracteae Goldblatt & J.C.Manning, sect., *Ther-eianthus* G.J.Lewis, 246
 Breviramea Engl. & Diels, sect., Combretum Loeffl., 151
 Brevitubae, ser., sect. *Morphixia*, *Ixia* L., 119
 Bryomorphe Harv., 325
 aretioides (Turcz.) Druce, 325
 lycopodioides (Sch.Bip.) Levyns, 325
 zeyheri Harv., 325
 Bryophyta, 188
Bulbocodium
 pubicum (Sol. ex Ker Gawl.) Kuntze, 274
 speciosum (Ker Gawl.) Kuntze, 276
 Burrows, J.E., 181
Cacoucia (Aubl.) Exell & Stace, subgen., Combretum Loeffl., 152
Cacoucia Aubl., 152
 Campanulaceae, 178
Campestris Engl. & Diels, sect., Combretum Loeffl., 151
 Camphorosmeae, tribe, Chenopodiaceae, 235
Caupylogyne Hemsley, 161
 Cape
 Floristic Region, 171
 Western, 178, 189, 298, 304
 Capillares, ser., sect. *Morphixia*, *Ixia* L., 131
 Ceropegieae, tribe, Asclepiadoideae, Apocynaceae, 295
Cheilanthes deltoidea Kuntze, 204
 subsp. *silicicola* Klopper & A.E.van Wyk, 204
 subsp. *deltoidea*, 206
 Chenopodiaceae, 235
Ciliatipetala Engl. & Diels, sect., Combretum Loeffl., 143
 Cilliers, S.S., 327, 351
 Cissus
 amboensis Schinz, 294
 congesta (Baker) Planch., 294
 fleckii Schinz, 294
 wittei Staner, 294
 classification, 83, 161
 coastal dunes, 341

- Codonocroton triphyllum* E.Mey., 153
 Colchicaceae, 231
 Colchiceae, tribe, Colchicaceae, 231
 comb. nov., 11, 15, 36, 161, 168, 275, 293, 297, 300, 301
 Combretaceae, 135, 161
 Combretum *Loefl.*, 135, 161
adenogonium Steud. ex A.Rich., 143
albopunctatum Suess., 145
angustilanceolatum Engl., 150
autunesii Engl. & Diels, 142
apiculatum Sond.
 subsp. *apiculatum*, 145
 subsp. *leutweinii (Schinz) Exell*, 145
 var. *parvifolium Baker f.*, 145
arengense Sim, 146
bajouense Sim, 149
bracteosum (Hochst.) Brandis, 153
buchananii Engl. & Diels, 145
burtii Exell, 150
caffrum (Eckl. & Zeyh.) Kuntze, 139
calocarpum Gilg ex Dinter, 142
cataractarum Diels, 153
celastroides Welw. ex M.A.Lawson, 148
 subsp. *orientale Exell*, 148
chlorocarpum Exell, 142
collinum Fresen.
 subsp. *gazense (Swynn. & Baker f.) Okafor*, 149
 subsp. *ondongense (Engl. & Diels) Okafor*, 149
 subsp. *suluense (Engl. & Diels) Okafor*, 150
 subsp. *taborense (Engl.) Okafor*, 150
coriaceum Schinz, 149
dekindtianum Engl., 146
detineus Dinter, 153
dinteri Schinz, 147
dregeanum C.Presl, 139
edwardsii Exell, 145
eilkeranum Schinz, 151
elaegnoides Klotzsch, 152
ellipticum Sim, 146
engleri Schinz, 142
erythrophyllum (Burch.) Sond., 139
 var. *obscurum Van Heurck & Müll.Arg.*, 140
eylesii Exell, 149
ferrugineum A.Rich., 146
fragrans F.Hoffm., 143
galpinii Engl. & Diels, 146
gazense Swynn. & Baker f., 149
ghasalense Engl. & Diels, 143
glomeruliflorum Sond., 139
 var. *obscurum (Van Heurck & Müll.Arg.) Burt Davy*, 140
 var. *riparium (Sond.) Burt Davy*, 139
glutinosum sensu Wood, 145
goetzenianum Diels, 150
grandifolium F.Hoffm., 147
griseiflorum S.Moore, 150
guanense Engl. & Diels, 153
gueinzii Sond., 146
 subsp. *splendens (Engl.) Exell ex Brenan*, 146
 var. *holosericeum (Sond.) Exell ex Rendle*, 146
 hereroense Schinz, 151
 subsp. *hereroense*, 151
 var. *villosissimum Engl. & Diels*, 151
holosericeum Sond., 146
homblei De Wild., 148
imberbe Wawra, 152
 var. *petersii (Klotzsch) Engl. & Diels*, 152
 var. *truncatum (Welw. ex M.A.Lawson) Burt Davy*, 152
junodii Dümmer, 150
kraussii Hochst., 140
kwebense N.E.Br., 145
leutweinii Schinz, 145
lomuense Sim, 154
lopolense Engl. & Diels, 142
lucidum E.Mey. ex Drège, 140
lydenburgianum Engl. & Diels, 140
makindense Gilg ex Engl., 150
uechowianum O.Hoffm.
 subsp. *gazense (Swynn. & Baker f.) Duvign.*, 149
 subsp. *taborense (Engl.) Duvign.*, 150
microphyllum Klotzsch, 154
millerianum Burt Davy, 150
minutiflorum Exell, 148
mkuzense J.D.Carr & Retief, 141
moggii Exell, 146
molle R.Br. ex G.Don, 146
mossambicense (Klotzsch) Engl., 153
multispicatum Engl. & Diels, 143
myrtillifolium Engl., 142
nelsonii Dümmer, 140
oblongum F.Hoffm., 142
obtusatum Engl. & Diels, 146
odontopetalum Engl. & Diels, 142
omahekae Gilg & Dinter ex Engl., 147
ondongense Engl. & Diels, 150
oxystachyum Welw. ex M.A.Lawson, 155
padoides Engl. & Diels, 148
paniculatum Vent., 154
 subsp. *microphyllum (Klotzsch) Wickens*, 154
parviflorum Eichl., 168
parviflorum Rchb., 168
parvifolium Dinter, 142
patelliforme Engl. & Diels, 148
patelliforme Engl. & Diels p.p. quoad specim., 148
petersii (Klotzsch) Engl., 152
petrophilum Retief, 146
phillipsii Dümmer, 153
platypetalum Welw. ex M.A.Lawson subsp. *platypetalum*, 155
porphyrolepis Engl. & Diels, 151
primigenum Marloth ex Engl., 152
prunifolium Engl. & Diels, 152
psammophilum Diels, 150
psidioides Welw., 147
 subsp. *dinteri (Schinz) Exell*, 147
 subsp. *grandifolium (F.Hoffm.) Jordaan*, 147
 subsp. *psidioides*, 147
 subsp. *psilophyllum Wickens*, 147
quirirensis Engl. & Gilg, 147
ramosissimum Engl. & Diels, 154
rantanenii Engl. & Diels, 151

- rhodesicum* Baker f., 151
riparium Sond., 139
salicifolium E.Mey. ex Hook., 139
sambesiacum Engl. & Diels, 151
schinzii Engl. ex Engl. & Diels, 150
sonderi Gerrard ex Sond., 139
 sp. 2, 145
splendens Engl., 146
stevensonii Exell, 152
 subgen. *Combretum*, 137
suluense Engl. & Diels, 150
sylicola O.Maurin, 168
taborense Engl., 150
tenuipes Engl. & Diels, 148
ternifolium Engl. & Diels, 143
tinctorum Welw. ex M.A.Lawson, 142
transvaalense Schinz, 151
 var. *bolusii* Dümmer, 151
 var. *villosissimum* (Engl. & Diels) Burt Davy, 151
trichopetalum Engl., 153
truncatum Welw. ex M.A.Lawson, 152
ukambense Engl., 153
undulatum Engl. & Diels, 143
velutinum DC., 146
vendae A.E.van Wyk, 140
villosissimum (Engl. & Diels) Engl., 151
wattii Exell, 155
welwitschii Engl. & Diels, 146
woodii Dümmer, 141
zastrowii Dinter, 155
zeyheri Sond., 141
- Commicarpus**
helenae (Roem. & Schult.) Meikle, 290
 var. *helenae*, 290
stellatus (Wight) Berhaut, 290
verticillatus sensu Baker & Wright, 290
- conservation, 327
 cremnophyte, 183
 Crocoideae, subfam., Iridaceae, 171, 239, 269, 283, 324
Crocoshia
 rochensis (Ker Gawl.) Klatt, 95
 tenuiflora (Ker Gawl.) Klatt, 100
Dichone (Salisb. ex Baker) Goldblatt & J.C.Manning,
 sect., *Ixia* L., 85
 Crouch, N.R. *Metathelypteris burrowsiorum*, a new
 species from Swaziland and a first genus record for
 southern Africa (Pteridophyta–Thelypteridaceae),
 193
 Crouch, N.R. & Burrows, J.E. New pteridophyte records
 for the flora of Swaziland (Pteridophyta), 181
 Crouch, N.R. & Smith, G.F. *Furcraea foetida*: an invad-
 ing alien in South Africa (Agavaceae), 196
 Crouch, N.R., Smith, G.F. & Styles, D.G.A. *Gasteria*
 croucheri subsp. *pondoensis*, a new cremnophyte
 from Pondoland, South Africa (Asphodelaceae:
 Alooideae), 183
 Crouch, N.R. & Wesley-Smith, J. *Pilularia dracomon-*
 tana, a new species of pillwort from the KwaZulu-
 Natal Drakensberg, South Africa (Pteridophyta–
 Marsileaceae), 201
 Cryptolepideae, tribe, Apocynaceae, 199
 Cryptolepis delagoensis Schltr., 200
 Cupido, C.N. A new species of *Wahlenbergia* from
 Western Cape, South Africa (Campanulaceae), 178
- Cyperaceae, 300
 Cyperus L., 300
 aristatus Rottb. var. *atriceps* Kük., 300
 atriceps (Kük.) C.Archer & Goetgh., 300
 austro-africanus C.Archer & Goetgh., 300
 capensis (Steud.) Engl. var. *pseudomarlothii* Kük., 301
 forma *globospica* (C.B.Clarke) Kük., 301
 contractus Steud., 300
 decurvatus (C.B.Clarke) C.Archer & Goetgh., 300
 dregeanus Kunth, 300
 fulgens C.B.Clarke var. *contractus* Kük., 300
 indecorus Kunth
 var. *decurvatus* (C.B.Clarke) Kük., 300
 var. *dinteri* Kük., 300
 palmaris (Lye) C.Archer & Goetgh., 300
 palmaris Vorster, 300
 pulcher Thunb., 300
 rehmannianus (C.B.Clarke) Kuntze, 300
 uitenhagensis (Steud.) C.Archer & Goetgh., 301
 usitatus Burch. subsp. *palmaris* Lye, 300
- Cyphostemma
 congestum (Baker) Desc., 294
 congestum (Baker) Desc. ex Wild & R.B.Drumm., 294
 fleckii (Schinz) Desc., 294
 wittei (Staner) Wild & R.B.Drumm., 294
- cytology, 311
 De Sousa, F., Figueiredo, E. & Smith, G.F. A new and
 an overlooked record of *Cyphostemma* in Angola
 (Vitaceae), 294
 distribution, 199, 235
 diversity, 41, 351
Dodonaea
 caffra Eckl. & Zeyh., 139
 conglomerata Eckl. & Zeyh., 139
Dolichothrix Hilliard & B.L.Burt, 325
 ericoides (Lam.) Hilliard & B.L.Burt, 325
Doryopteris deltoidea (Kunze) Diels, 206
 var. *laxa* Sim, 206
 Drakensberg, 201
 Du Toit, M.J., 327, 341
 editor of *Bothalia*, 229, 363
Elaeagnoides Engl. & Diels, sect., *Campestris* Engl. &
 Diels, 151
 endemic, 199
 endemism, 341
 ethnobotany, medical, 209
Eumorphia DC., 277
 corymbosa E.Phillips, 277
 davyi Bolus, 279
 dregeana DC., 280
 prostrata Bolus, 279
 sericea J.M.Wood & M.S.Evans, 281
 subsp. *sericea*, 281
 subsp. *robustior* Hilliard & B.L.Burt, 281
 swaziensis Compton, 278
- Fabaceae, 298, 319
 fam.
 Agavaceae, 196, 351

fam. (cont.)

- Aizoaceae, 292
 Alliaceae, 311
 Amaryllidaceae, 308
 Apocynaceae, 199, 295
 Asphodelaceae, 183
 Asteraceae, 176, 187, 277, 304, 324, 351
 Campanulaceae, 178
 Chenopodiaceae, 235
 Colchicaceae, 231
 Cyperaceae, 300
 Fabaceae, 298, 319
 Hyacinthaceae, 297, 314
 Iridaceae, 1, 83, 171, 239, 269, 283, 324
 Molluginaceae, 189
 Nyctaginaceae, 289
 Scrophulariaceae, 301
 Thelypteridaceae, Pteridophyta, 193
 Vitaceae, 294
Ferraria *Burm. ex Mill.*, 1, 9
 andongensis (Baker) Rendle, 14
 antherosa Ker Gawl., 29
 bechuanica Baker, 11
 brevifolia G.J.Lewis, 37
 candelabrum (Baker) Rendle, 14
 crispa *Burm.*, 17
 subsp. *nortieri* M.P.de Vos, 17
 crispulata L.Bolus, 35
 densepunctulata M.P.de Vos, 22
 divaricata Sweet, 27
 subsp. *arenosa* M.P.de Vos, 28
 ?subsp. *aurea* M.P.de Vos, 31
 subsp. *australis* M.P.de Vos, 29
 ensifformis Mill., 17
 ferrariola (Jacq.) Willd., 25
 finbriata *Burm.*, 39
 flava Goldblatt & J.C.Manning, 31
 foliosa G.J.Lewis, 18
 framesii L.Bolus, 33
 glutinosa (Baker) Rendle, 11
 hirschbergii L.Bolus, 16
 kamiesbergensis M.P.de Vos, 36
 longa Barnes, 25
 macrochlamys (Baker) Goldblatt & J.C.Manning, 34
 subsp. *macrochlamys*, 35
 subsp. *kamiesbergensis* (M.P.de Vos) Goldblatt & J.C.Manning, 36
 subsp. *serpentina* Goldblatt & J.C.Manning, 37
 major Eckl., 17
 obtusifolia Sweet, 17
 ornata Goldblatt & J.C.Manning, 24
 ovata (Thunb.) Goldblatt & J.C.Manning, 20
 parva Goldblatt & J.C.Manning, 26
 randii (Rendle) Rendle, 11
 schaeferi Dinter, 19
 spithamea (Baker) Goldblatt & J.C.Manning, 15
 uncinata Sweet, 33
 subsp. *macrochlamys* (Baker) M.P.de Vos, 34
 undulata L., 17
 vandermerwei L.Bolus, 17
 variabilis Goldblatt & J.C.Manning, 29

- viridiflora* Andrews, 25
viscaria Schinz, 11
welwitschii Baker, 15
 Figueiredo, E., 294, 365
 Figueiredo, E., Paiva, J., Stévant, T., Oliveira, F. & Smith, G.F. Annotated catalogue of the flowering plants of São Tomé and Príncipe, 41
Flora of southern Africa (FSA), 188
 floral biology, 1
 floristic analysis, 351
 flower morphology, 301
 flowering plants catalogue, 41
 Forest, F., 189
 Franz Sebastian Müller (1913–2010), 365
Freesea mineatolateritia Eckl., 108
Freesia juncifolia (Baker) Klatt, 252
 FSA, 188
 contributions, 277
 region, 295
 Fucatae, series, sect. *Hyalis*, *Ixia* L., 101
Furcraea
 foetida (L.) Haw., 197
 gigantea Vent., 197
Gasteria croucheri (Hook.f) Baker subsp. *pondoensis* N.R.Crouch, Gideon F.Sm. & D.G.A.Styles, 183
 Gauteng Province, South Africa, 204, 295
Geissorhiza
 latifolia (D.Delaroche) Baker, 112
 pudica (Sol. ex Ker Gawl.) Klatt, 274
 radians (Thunb.) Goldblatt, 95
 geoxylic suffrutex, 341
 Germishuizen, G. A new species of *Rhynchosia* from the northern provinces of South Africa (Fabaceae), 319
Gibbaria
 bicolor Cass., 187
 scabra (Thunb.) Norlindh, 187
Glabripetala Engl. & Diels, sect., *Combretum* Loefl., 143
Gladiolus
 alopecuroides Pers., 259
 bracteolatus Lam., 257
 diluvialis Goldblatt & J.C.Manning, 324
 halophilus [as '*halophila*'] Goldblatt & J.C.Manning, 324
 halophilus Boiss. & Heldr., 324
 ixioides Thunb., 100
 lineatus Salisb., 131
 longiflorus (P.J.Bergius) Jacq., 99
 punctatus (Andrews) Roem. & Schult., 257
 rubens Vahl, 259
 spicatus L. 259
 subulatus Vahl, 257
 triticeus Thunb., 257
 Gnaphalieae, tribe, Asteraceae, 304, 324
Gnaphalium argyrocoma Sch.Bip., 325
 Goetghebeur, P., 300
 Goldblatt, P., 171, 189, 239, 269, 283, 297, 304, 314, 324
 Goldblatt, P. & Manning, J.C. Systematics and biology of the African genus *Ferraria* (Iridaceae: Irideae), 1
 Goldblatt, P. & Manning, J.C. Systematics of the southern African genus *Ixia* (Iridaceae). 3. Sections *Hyalis* and *Morphixia*, 83

- Götze, A.R., 327
 grassland, 351
 guide for authors to *Bothalia*, 377
 Harrower, A.D., 269
Helichrysium
 aretiooides Turcz., 325
 ericoides (Lam.) Pers., 325
 Herman, P.P.J. & Swelankomo, N. *Vernonia* (tribe
 Vernonieae) and related genera in southern Africa:
 updates and corrections (Asteraceae), 176
 home gardens, 351
Houttuynia capensis Houtt., 99
 Hyacinthaceae, 297, 314
Hyalis (Baker) Diels, sect., *Ixia* L., 83, 85, 92
 aulica (Aiton) Salisb., 112
 latifolia (D.Delaroche) Salisb., 112
 longiflora (P.J.Bergius) Salisb., 99
 marginifolia Salisb., 119
 ser., sect. *Hyalis*, *Ixia* L., 93
 subgen. *Hyalis* Salisb. ex Baker, 92
 Hypocrateropsis Engl. & Diels, sect., Combretum Loefl.,
 147
 Iridaceae, 1, 83, 171, 239, 269, 283, 324
 Irideae, tribe, Iridaceae, 1
Ixia L.
 acaulis Goldblatt & J.C.Manning (No. 7), 98
 alata Goldblatt & J.C.Manning (No. 30), 121
 alba Eckl., 105
 alba L., 105
 aulica Aiton, 112
 aurea J.C.Manning & Goldblatt (No. 16), 107
 avellana R.C.Foster, 106
 bellendenii R.C.Foster (No. 4), 95
 bolusii G.J.Lewis, 125
 brunneobracteata G.J.Lewis (No. 26), 118
 capillaris L.f. (No. 45), 131
 var. *aulica* (Aiton) Ker Gawl., 112
 var. *incarnata* (Jacq.) Ker Gawl., 112
 var. *lancea* Ker Gawl., 119
 var. *stricta* Ker Gawl., 119
 ? *capitata* var. *stellata* Andrews, 111
 cedarmontana Goldblatt & J.C.Manning (No. 34), 126
 cochlearis G.J.Lewis (No. 9), 101
 conferta R.C.Foster, 102
 contorta Goldblatt & J.C.Manning (No. 44), 131
 dieramoides Goldblatt & J.C.Manning (No. 47), 131
 divaricata Goldblatt & J.C.Manning (No. 19), 110
 dolichosiphon Goldblatt & J.C.Manning (No. 33), 126
 ecklonii Goldblatt & J.C.Manning (No. 25), 118
 erecta Thunb., 106
 var. *lutea odorata* Ker Gawl., 106
 esterhuyseniae M.P.de Vos (No. 15), 107
 exiliflora Goldblatt & J.C.Manning (No. 46), 131
 flaccida (G.J.Lewis) Goldblatt & J.C.Manning, 130
 flaccida Salisb., 130
 flava Lam., 275
 flavescens Eckl., 106
 framesii L.Bolus, 108
 fucata Ker Gawl. (No. 10), 101
 var. *filifolia* G.J.Lewis, 129
 gladiolaris Lam., 131, 175
 incarnata Jacq., 112
 lacerata Goldblatt & J.C.Manning (No. 39), 130
 lancea Jacq., 119
 lancea Thunb., 119
 latifolia D.Delaroche (No. 21), 112
 var. *angustifolia* G.J.Lewis, 110
 var. *curvirostrata* G.J.Lewis, 112
 var. *parviflora* G.J.Lewis, 116
 var. *ramulosa* G.J.Lewis, 117
 leipoldtii G.J.Lewis (No. 2), 93
 linderi Goldblatt & J.C.Manning (No. 6), 97
 linearifolia Goldblatt & J.C.Manning (No. 29), 121
 longiflora Lam., 100
 longiflora P.J.Bergius, 99
 longituba N.E.Br. (No. 3), 94
 subsp. *longituba* (No. 3a), 94
 subsp. *macrosiphon* Goldblatt & J.C.Manning (No.
 3b), 95
 var. *bellendenii* (R.C.Foster) M.P.de Vos, 95
 marginifolia Salisb. ex G.J.Lewis (No. 27), 119
 mollis Goldblatt & J.C.Manning (No. 40), 130
 monticola Goldblatt & J.C.Manning (No. 22), 115
 namaquana L.Bolus (No. 41), 131
 neglecta Schult., 276
 odorata Ker Gawl. (No. 14), 106
 var. *hesperanthoides* G.J.Lewis, 106
 orientalis L.Bolus (No. 13), 104
 ovata var. *stellata* (Andrews) Baker, 111
 oxalidiflora Goldblatt & J.C.Manning (No. 42), 131
 paniculata D.Delaroche (No. 8), 99
 var. *rochensis* (Ker Gawl.) Baker, 95
 var. *tenuiflora* (Vahl) Baker, 100
 parva Goldblatt & J.C.Manning (No. 23), 116
 patens Aiton, 130
 pauciflora G.J.Lewis (No. 48), 131
 paucifolia G.J.Lewis (No. 32), 125
 pavonia Goldblatt & J.C.Manning (No. 28), 120
 phlogiflora Delile, 112
 polystachya var. *flavescens* (Eckl.) Baker, 106
 pudica (Sol. ex Ker Gawl.) Roem. & Schult., 274
 pulcherrima Eckl., 108
 pumilio Goldblatt & Snijman (No. 1), 93
 punctata Andrews, 257
 purpureorosea G.J.Lewis (No. 18), 109
 ramulosa (G.J.Lewis) Goldblatt & J.C.Manning (No.
 24), 117
 rapunculoides Delile (No. 36), 130
 var. *namaquana* (L.Bolus) G.J.Lewis, 131
 var. *rigida* G.J.Lewis, 111
 var. *robusta* G.J.Lewis, 130
 var. *subpendula* G.J.Lewis, 111
 reclinata Goldblatt & J.C.Manning (No. 49), 131
 recondita Goldblatt & J.C.Manning (No. 12), 103
 reflexa Andr., 275
 reflexa Thunb., 275
 rivulicola Goldblatt & J.C.Manning (No. 38), 130
 robusta (G.J.Lewis) Goldblatt & J.C.Manning (No. 37),
 130
 rochensis Ker Gawl., 95
 rochensis (Ker Gawl.) L.Bolus, 95
 saundersiana Goldblatt & J.C.Manning (No. 20), 111

- Ixia* L. (cont.)
scariosa Thunb., 112
 var. *longifolia* Baker, 105
schlechteri Baker, 105
 sect., 85
sobolifera Goldblatt & J.C.Manning (No. 43), 131
speciosa Andr., 276
spicata (L.) Willd., 259
splendida G.J.Lewis (No. 5), 97
stellata (Andrews) Klatt, 111
stenophylla Goldblatt & J.C.Manning (No. 35), 129
stohrii L.Bolus (No. 11), 102
striata Vahl, 131
tenuifolia Vahl (No. 17), 108
tenuiflora Vahl, 100
thomasi Goldblatt (No. 31), 123
zeyheri Baker, 252
- Jordaan, M., Van Wyk, A.E. & Maurin, O. A conspectus of *Combretum* (Combretaceae) in southern Africa, with taxonomic and nomenclatural notes on species and sections, 135
- Jordaan, M., Van Wyk, A.E. & Maurin, O. Generic status of *Quisqualis* (Combretaceae), with notes on the taxonomy and distribution of *Q. parviflora*, 161
- Joubert, L., 199
- key
- Ammocharis* spp., 311
Cacoucia subgen. sections, 152
Combretum collinum subsp., 149
Combretum subgen., 136
Combretum, subgen. sections, 137
Combretum sect. *Angustimarginata* spp., 138
Combretum sect. *Spathulipetala* spp., 141
Combretum sect. *Ciliapetala* spp., 144
Combretum sect. *Hypocrateropsis* spp., 148
Commicarpus spp., 289
Eumorphia spp., 277
Eumorphia sericea subsp., 281
Ferraria spp., 10
Ferraria macrochlamys subsp., 35
Hyalis sect. spp., 90
Ixia longituba subsp., 94
Ixia sections, 90
Morphixia sect. spp., 91
South African Anticharis spp., 303
Thereianthus spp., 245
Xenoscapa spp., 284
- Klaassen, E.S., 289
- Klak, C. New combinations in *Antinima* and *Octopoma* (Aizoaceae: Ruschioideae), 292
- Klenzea lycopodioides* Sch.Bip., 325
- Klopper, A.W. & Klopper, R.R. *Selaginella nivea*, a new lycophyte record for South Africa, with notes on its habitat (Lycopodiophyta: Selaginellaceae), 321
- Klopper, R.R., 321
- Klopper, R.R. & Van Wyk, A.E. A new subspecies of *Cheilanthes deltoidea* from Gauteng and Limpopo, South Africa (Pteridophyta–Sinopteridaceae), 204
- Kochia brevifolia* R.Br., 236
- Koekemoer, M. The true identity of *Oxylaena acicularis* (Asteraceae), 187
- Koekemoer, M. *Bryomorpe* and *Dolichothrix* (Asteraceae: Gnaphalieae: Relhaniinae): taxonomy and nomenclature, 324
- Kolberg, H., 308
- Kwambonambi Hygrophilous Grassland, 341
- KwaZulu-Natal, South Africa, 201, 341
- Lachnospermum neglectum* Schltr. ex J.C.Manning & Goldblatt, 304
- Lamprecht, A.J.H., Cilliers, S.S., Götze, A.R. & Du Toit, M.J. Phytosociological description of norite koppies in the Rustenburg area, North-West Province and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa, 327
- Lapeirousia*
fistulosa (Spreng. ex Klatt) Baker, 286
juncifolia (Baker) N.E.Br., 252
macrochlamys Baker, 34
 lectotypification, 135
 Lesotho, 209
 Limpopo, South Africa, 204
 list of Lesotho medicinal plants, 209
 liverworts, 185
- Lubbe, C.S., Siebert, S.J. & Cilliers, S.S. Floristic analysis of domestic gardens in the Tlokwe City Municipality, South Africa, 351
- Lycopodiophyta, 321
- Macrostigmata *Engl. & Diels*, sect., *Combretum Loeftl.*, 142
- magic, 209
- Maireana brevifolia* (R.Br.) Paul G.Wilson, 235, 236
- Mannheimer, C., 231
- Manning, J.C., 1, 83
- Manning, J.C. & Goldblatt, P. *Tritonia cedarimontana* and *T. linearifolia* (Crocoideae), two new species from the Cape Floristic Region; *T. lineata* var. *parvifolia* included in *T. gladiolaris*; and the correct author citation for *T. strictifolia* (Iridaceae), 171
- Manning, J.C. & Goldblatt, P. Taxonomic revision of the genus *Thereianthus* (Iridaceae: Crocoideae), 239
- Manning, J.C. & Goldblatt, P. Review of the genus *Xenoscapa* (Iridaceae: Crocoideae), including *X. grandiflora*, a new species from southern Namibia, 283
- Manning, J.C. & Goldblatt, P. *Ornithogalum lebaense* transferred to *Albuca* (Hyacinthaceae), 297
- Manning, J.C. & Goldblatt, P. *Lachnospermum neglectum* (Asteraceae: Asteroideae: Gnaphalieae), a new and overlooked species from the Worcester Valley, Western Cape, 304
- Manning, J.C. & Goldblatt, P. *Albuca gariensis* (Hyacinthaceae: Ornithogaloideae), a new species of *A.* subgen. *Namibiogalum* from Gordonia, South Africa, and *A. prasina* transferred to *Ornithogalum*, 314
- Manning, J.C. & Goldblatt, P. *Gladiolus diluvialis* (Iridaceae: Crocoideae), a replacement name for the illegitimate homonym *G. halophilus*, 324
- Manning, J.C., Goldblatt, P. & Forest, F. *Adenogramma natans*, a remarkable new aquatic species from Western Cape, South Africa (Molluginaceae), 189

- Manning, J.C., Goldblatt, P. & Harrower, A.D. *Romulea pilosa* and *R. quartzicola* (Iridaceae: Crocoideae), two new species from the southern African winter rainfall region, with nomenclatural corrections including new names for *R. amoena*, *R. neglecta* and *R. rosea* var. *reflexa*, 269
- Marchantiophyta, 185
- Mariscus* Vahl., 300
- aristatus* (Rottb.) Cherm. var. *atriceps* (Kük.) Podlech, 300
- capensis* sensu Schönland, 301
- dregeanus* Kunth, 300
- var. *buchananii* C.B.Clarke, 300
- dubius*, 300
- indecorus* (Kunth) Podlech
- var. *decurvatus* (C.B.Clarke) Podlech, 300
- var. *dinteri* (Kük.) Podlech, 300
- marlothii* (Boeck.) C.B.Clarke var. *globospica* C.B. Clarke, 301
- marlothii* sensu C.B.Clarke, 301
- rehmannianus* C.B.Clarke, 300
- uitenhagensis* Steud., 301
- vestitus* (Hochst.) C.B.Clarke var. ? *decurvata* C.B. Clarke, 300
- Marsileaceae, Pteridophyta, 201
- materia medica*, 209
- Maurin, O., 135, 161
- medicine, 209
- Megalantherum *Exell*, sect., Combretum *Loefl.*, 155
- Mesembryanthemum*
- paripetalum* L.Bolus, 293
- reductum* N.E.Br., 293
- Metallicum *Exell*, sect., Combretum *Loefl.*, 149
- Metathelypteris burrowsiorum *N.R.Crouch*, 193
- Micranthus* (Pers.) Eckl., 245
- spicatus* (L.) Heynh., 259
- triticeus* (Thunb.) Heynh., 257
- micromorphology, 311
- Molluginaceae, 189
- Monandrus atriceps* (Kük.) Vorster, 300
- Montbretia*
- capensis* (Houtt.) Voigt, 99
- concolor* (Sweet) Voigt, 100
- lineata* (Salisb.) Baker, 131
- rocheana* (Ker Gawl.) Heynh., 95
- strictifolia* Klatt, 175
- tenuiflora* (Ker Gawl.) Voigt, 100
- Moraea
- ? *andongensis* Baker, 14
- aurantiaca* Baker, 15, 16
- candelabrum* Baker, 14
- ferrariola* Jacq., 25
- glutinosa* Baker, 11
- kitambensis* Baker, 14
- ? *malangensis* Baker, 11
- ovata* Thunb., 20
- randii* Rendle, 11
- spithamea* Baker, 15
- undulata* (L.) Thunb., 17
- ? *viscosa* R.C.Foster, 15
- Morphixia* (Ker Gawl.) Diels, sect., *Ixia* L., 109
- Morphixia* (Ker Gawl.) Pax, sect., *Ixia* L., 83, 85, 109
- Morphixia* ser., sect. *Morphixia*, *Ixia* L., 110
- Morphixia*
- aulica* (Aiton) Ker Gawl., 112
- capillaris* (L.f) Ker Gawl., 131
- var. *incarnata* (Jacq.) Baker, 112
- var. *lancea* (Ker Gawl.) Baker, 119
- incarnata* (Jacq.) Ker Gawl., 112
- juncifolia* Baker, 252
- lancea* (Ker Gawl.) Klatt, 119
- odorata* (Ker Gawl.) Baker, 106
- paniculata* (D.Delaroche) Baker, 99
- var. *rochensis* (Ker Gawl.) Baker, 95
- var. *tenuiflora* (Vahl) Baker, 100
- morphology, 83
- Moteteetee, A. & Van Wyk, B-E. The medical ethnobotany of Lesotho: a review, 209
- Mpumalanga Province, South Africa, 295
- Mucina, L. & Snijman, D.A. *Maireana brevifolia* (Chenopodiaceae: Camphorosmeae), a new naturalized alien plant species in South Africa, 235
- Namibia, 289, 308
- southern, 283
- native plants, 351
- neotype, 199
- new
- combination, 11, 15, 36, 161, 168, 275, 292, 293, 297, 300, 301
- name, 116, 129, 130, 168, 247, 269, 276, 300, 324
- naturalized species, 235
- records, 181, 185, 188, 289, 294, 295, 301, 321
- section, 246
- series, 254
- species, 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319
- status, 36, 117, 129, 147, 247, 275, 300
- synonym, 112, 274, 275, 325
- nom. nov., 116, 129, 130, 168, 247, 269, 276, 300, 324
- nomenclature, 135, 269, 324
- Nordenstam, B., 231
- Norite Koppies Bushveld, 327
- Nyctaginaceae, 289
- obituary: Franz Sebastian Müller (1913–2010), 365
- Octopoma
- nanum* (L.Bolus) Klak, 293
- tanquam* Klak, 293
- Oliveira, F., 41
- Orbea (N.E.Br.) L.C.Leach, 295
- cooperi* (N.E.Br.) L.C.Leach, 295
- Ornithogaloideae, subfam., Hyacinthaceae, 314
- Ornithogalum
- lebaense* Van Jaarsv., 297
- prasinum* Ker Gawl., 318
- Ornithoglossum *Salisb.*, 231
- pulchrum* *Snijman, B.Nord. & Mannheimer*, 231
- Osteospermum scabrum* Thunb., 187
- Ovieda fistulosa* Spreng. ex Klatt, 286
- Oxylaena acicularis* (Benth.) Anderb., 187
- Oxystachya Exell*, sect., Combretum *Loefl.*, 155

- Paiva, J., 41
 Paucifoliaeae, series, sect. *Morphixia*, *Ixia* L., 125
Paulomagnusia Kuntze, 245
spicata (L.) Kuntze, 259
Pellaea deltoidea (Kunze) Baker, 206
 Periplocoideae, subfam., Apocynaceae, 199
 Perold, S.M., 185
 Phephu, N., 185
 phylogeny, 135, 161
 phytosociology, 327
 pillwort, 201
Pilularia dracomontana N.R.Crouch & J.Wesley-Smith, 201
Plumbea Jordaan, A.E.van Wyk & O.Maurin, sect., *Combretum* Loeffl., 152
Poivrea (Comm. ex DC.) G.Don, sect., *Combretum* Loeffl., 153, 161
bracteosa Hochst., 153
mossambicensis Klotzsch, 153
 pollen, 239
 pollination, 83, 161
 Pondoland, 183
 Potchefstroom, North-West Province, South Africa, 351
 Príncipe, 41
Prototulbaghia siebertii Vosa, 311
 Pteridophyta, 181, 193, 201, 204
Pycneus rehmannianus C.B.Clarke, 300
Quisqualis L., 161
natalensis Gerrard ex Engl. & Diels, 168
parviflora Sond., 168
Rapunculooides, ser., sect. *Morphixia*, *Ixia* L., 130
 Relhaniinae, subtribe, Asteraceae, 324
Rhynchosia coddii Germish., 319
 Richards Bay, KwaZulu-Natal, South Africa, 341
Romulea Maratti, 269
amoena Schltr. ex Bég., 274
cruciata var. *australis* Ewart, 275
flava (Lam.) M.P.de Vos, 275
muirii N.E.Br., 275
neglecta Jord. & Fourr., 276
neglecta M.P.de Vos, 276
oliveri M.P.de Vos, 276
parviflora Eckl., 275
pilosa J.C.Manning & Goldblatt, 269
pudica (Sol. ex Ker Gawl.) Baker, 274
quartzicola J.C.Manning & Goldblatt, 272
reflexa Eckl., 275
rosea
 var. *australis* (Ewart) M.P.de Vos, 275
 var. *muirii* (N.E.Br.) J.C.Manning & Goldblatt, 275
 var. *pudica* (Sol. ex Ker Gawl.) Baker, 274
 var. *reflexa* (Eckl.) Bég., 275
 var. *reflexa* sensu Bég., 275
speciosa (Ker Gawl.) Baker, 276
Ruschia
crassifolia L.Bolus, 293
hexamera L.Bolus var. *longipetala* L.Bolus, 293
nana L.Bolus, 293
paripetala (L.Bolus) L.Bolus, 293
 Ruschioideae, subfam., Aizoaceae, 292
 Rustenburg, South Africa, 327
 São Tomé, 41
 Schutte-Vlok, A.L. A new species of *Xiphotheca* from the Western Cape, South Africa (Fabaceae), 298
 Scrophulariaceae, 301
 sect.
Angustimarginata Engl. & Diels, sect., *Combretum* Loeffl., 137
Brevibracteae Goldblatt & J.C.Manning, *Thereianthus* G.J.Lewis, 246
Breviramea Engl. & Diels, *Combretum* Loeffl., 151
Campestris Engl. & Diels, *Combretum* Loeffl., 151
Ciliatipetala Engl. & Diels, *Combretum* Loeffl., 143
Conniventia Engl. & Diels, *Combretum* Loeffl., 153
Dichone (Salisb. ex Baker) Goldblatt & J.C.Manning, *Ixia* L., 85
Elaeagnoides Engl. & Diels, *Combretum* Loeffl., 151
Ferraria, 17
Glabripetala Engl. & Diels, *Combretum* Loeffl., 143
Glutinosae M.P.de Vos, *Ferraria* Burm. ex Mill., 11
Hyalis, (Baker) Diels, *Ixia* L., 85, 92
Hypocrateropsis Engl. & Diels, *Combretum* Loeffl., 147
Ixia, 85
Macroscyphae Baker, *Ferraria* Burm. ex Mill., 25
Macrostigmata Engl. & Diels, *Combretum* Loeffl., 142
Megalantherum Exell, *Combretum* Loeffl., 155
Metallicum Exell, *Combretum* Loeffl., 149
Morphixia (Ker Gawl.) Pax, *Ixia* L., 85, 109
Morphixia (Ker Gawl.) Diels, *Ixia* L., 109
 nov., 246
Oxystachya Exell, *Combretum* Loeffl., 155
Plumbea Jordaan, A.E.van Wyk & O.Maurin, *Combretum* Loeffl., 152
Poivrea (Comm. ex DC.) G.Don, *Combretum* Loeffl., 153, 161
Spathulipetala Engl. & Diels, *Combretum* Loeffl., 141
Thereianthus, 254
Xenoscapa Goldblatt, *Anomatheca*, Iridaceae, 284
 sections, 135
Selaginella nivea Alston ex Alston, 321
 Selaginellaceae, 321
 semi-arid South Africa, 235
 ser.
Angustisiphon, sect. *Hyalis*, *Ixia* L., 104
Bracteolatus J.C.Manning & Goldblatt, 254
Brevitubae, sect. *Morphixia*, *Ixia* L., 119
Capillares, sect. *Morphixia*, *Ixia* L., 131
Fucatae, sect. *Hyalis*, *Ixia* L., 101
Hyalis, sect. *Hyalis*, *Ixia* L., 93
Macroscyphae, *Ferraria* Burm. ex Mill., 27
Morphixia, sect. *Morphixia*, *Ixia* L., 110
 nov., 254
 Paucifoliaeae, sect. *Morphixia*, *Ixia* L., 125
Rapunculooides, sect. *Morphixia*, *Ixia* L., 130
Subdivaricatae, *Ferraria* Burm. ex Mill., 25
Thereianthus, 259
Uncinatae, *Ferraria* Burm. ex Mill., 33
 Siebert, F., 341
 Siebert, S.J., 289, 311, 351
 Siebert, S.J., Siebert, F. & Du Toit, M.J. The extended occurrence of Maputland Woody Grassland further south in KwaZulu-Natal, South Africa, 341

- Sinopteridaceae, Pteridophyta, 204
 Smith, G.F., 41, 183, 196, 294
 Smith, G.F. Tribute to Gerrit Germishuizen, editor of *Bothalia*, 229
 Smith, G.F. Tribute to Beverley Momborg, technical editor in the publications section of the South African National Biodiversity Institute, 363
 Smith, G.F. & Figueiredo, E. Obituary: Franz Sebastian Müller (1913–2010), 365
 Snijman, D.A., 235
 Snijman, D.A. & Kolberg, H. *Anmocharis deserticola* (Amaryllidaceae: Amaryllideae), a new species from Namibia and a key to species of the genus, 308
 Snijman, D.A., Nordenstam, B. & Mannheimer, C. *Ornithoglossum pulchrum* (Colchicaceae: Colchiceae), a new species from southern Namibia, 231
 South Africa, 178, 183, 185, 189, 196, 201, 204, 235, 298, 301, 314, 319, 321, 327, 341, 351
 semi-arid, 235
 southern
 Africa, 1, 83, 135, 161, 176, 193, 199, 239, 269, 277, 283, 289, 300
 Namibia, 231, 283, 308
 sp. nov., 1, 24, 26, 31, 83, 97, 103, 111, 115, 118, 120, 121, 126, 171, 173, 178, 179, 191, 193, 201, 231, 239, 254, 263, 269, 272, 283, 284, 298, 304, 308, 315, 319
Sparaxis bulbifera (L.) Ker Gawl., 105
Spathulipetala Engl. & Diels, sect., Combretum Loeft., 141
 staff publications, 369
 stat. nov., 36, 117, 129, 147, 247, 275, 300
 Steenkamp, Y. Compiler. South African National Biodiversity Institute: publications, 1 January 2010 to 31 December 2010, 369
 Stévant, T., 41
 Steyn, H.M. *Anticharis juncea*, an overlooked record for South Africa, with notes on its type localities and flower morphology (Scrophulariaceae), 301
Stoebe nivea Thunb., 325
 Struwig, M., Siebert, S.J. & Klaassen, E.S. Notes on *Commicarpus* in southern Africa, including a new record for Namibia (Nyctaginaceae), 289
 Styles, D.G.A., 183
 subfam.
 Alooideae, Asphodelaceae, 183
 Asclepiadoideae, Apocynaceae, 295
 Asteroideae, Asteraceae, 277, 304
 Crocoideae, Iridaceae, 171, 239, 283, 324
 Ornithogaloideae, Hyacinthaceae, 314
 Periplocoideae, Apocynaceae, 199
 Ruschioideae, Aizoaceae, 292
 subgen., 11
Beilia Eckl. ex Baker, Watsonia, 245
Cacoucia (Aubl.) Exell & Stace, Combretum Loeft., 152
 Combretum, Combretum Loeft., 137
 Ferraria, 17
 Glutinosae (M.P.de Vos) Goldblatt & J.C.Manning, Ferraria Burm. ex Mill., 11
Hyalis Salisb. ex Baker, Ixia L., 92
Morphixia (Ker Gawl.) Goldblatt & J.C.Manning, Ixia L., 109
Namibiogalum (U.Müll.-Doblies & D.Müll.-Doblies) J.C.Manning & Goldblatt, 315
 nov., 11
 subsp. nov., 37, 95, 183, 204
 subtribe Relhaniinae, Asteraceae, 324
 Swaziland, 181, 193
 Swelankomo, N., 176
 Swelankomo, N. FSA contributions 19: Asteraceae: Anthemideae: *Eumorphia*, 277
 syn. nov., 112, 274, 275, 325
 taxonomy, 1, 83, 135, 161, 171, 176, 178, 183, 187, 189, 193, 199, 201, 204, 231, 239, 269, 277, 283, 289, 292, 294, 297, 298, 300, 304, 308, 311, 314, 319, 324
Terminalia erythrophylla Burch., 139
 Thelypteridaceae, Pteridophyta, 193
 Thereianthus G.J.Lewis, 239, 245
 bracteolatus (Lam.) G.J.Lewis, 257
 bulbiferus Goldblatt & J.C.Manning, 254
 elandsmontanus Goldblatt & J.C.Manning, 263
 intermedius J.C.Manning & Goldblatt, 247
 ixioides G.J.Lewis, 261
 juncifolius (Baker) G.J.Lewis, 252
 lapeyrousioides (Baker) G.J.Lewis, 250
 var. *elatior* G.J.Lewis, 247
 longicollis (Schltr.) G.J.Lewis, 264
 minutus (Klatt) G.J.Lewis, 250
 montanus J.C.Manning & Goldblatt, 249
 racemosus (Klatt) G.J.Lewis, 246
 sect., 254
 ser., 259
 spicatus (L.) G.J.Lewis, 259
 var. *linearifolius* G.J.Lewis, 259
 Tlokwe City Municipality, North-West Province, South Africa, 351
 traditional healers, 209
 tribe
 Amaryllideae, Amaryllidaceae, 308
 Anthemideae, subfam. Asteroideae, Asteraceae, 277
 Camphorosmeae, Chenopodiaceae, 235
 Ceropegieae, Asclepiadoideae, Apocynaceae, 295
 Colchiceae, Colchicaceae, 231
 Cryptolepideae, Apocynaceae, 199
 Gnaphalieae, Asteraceae, 304, 324
 Vernonieae, Asteraceae, 176
Trichonema
 parviflorum (Eckl.) Steud., 275
 pudicum Sol. ex Ker Gawl., 274
 speciosum Ker Gawl., 276
 Tritonia
 capensis (Houtt.) Ker Gawl., 99
 cedarmontana Goldblatt & J.C.Manning, 171
 concolor Sweet, 100
 gladiolaris (Lam.) Goldblatt & J.C.Manning, 131, 175
 latifolia (D.Delaroche) N.E.Br., 112
 laxifolia var. *strictifolia* (Klatt) Baker, 175
 linearifolia Goldblatt & J.C.Manning, 173
 lineata (Salisb.) Ker Gawl., 131
 var. *parvifolia* M.P.de Vos, 175
 longiflora (P.J.Bergius) Ker Gawl., 99
 paniculata (D.Delaroche) Klatt, 99

Tritonia (cont.)

- rocheana* Sweet, 95
- rochensis* Ker Gawl., 95
- strictifolia* (Klatt) Benth. & Hook.f., 131, 175
- strictifolia* (Klatt) Benth. & Hook.f. ex B.D.Jacks., 175
- tenuiflora* (Vahl) Ker Gawl., 100

Tritonixia

- conferta* Klatt, 102
- lineata* (Salisb.) Klatt, 131

tropical Africa, 1

updates and corrections in *Vernonia* Schreb., 176

urban ecology, 351

Van Rooy, J. New and interesting records of mosses in the *Flora of southern Africa* area: 5. New provincial records (Bryophyta), 188

Van Rooy, J., Phephu, N. & Perold, S.M. New liverwort distribution records in South Africa (Marchantiophyta), 185

Van Wyk, A.E., 135, 161, 204, 311

Van Wyk, B-E., 209

vegetation

map, 327

mapping, 341

vernacular names of medicinal plants in Sesotho, 209

Vernonia Schreb., 176

Vernonieae, tribe, Asteraceae, 176

Vitaceae, 294

Vitis congesta Baker in Oliv., 294

Vosa, C.G., Siebert, S.J. & Van Wyk, A.E. Micromorphology and cytology of *Prototulbaghia siebertii*, with notes on its taxonomic significance (Alliaceae), 311

Wahlenbergia Schrad. ex Roth, 178

suffruticosa Cupido, 179

Waitzia

capensis (Houtt.) Reichb., 99

concolor (Sweet) Heynh., 100

rochensis (Ker Gawl.) Heynh., 95

tenuiflora (Ker Gawl.) Heynh., 100

Watsonia

filifolia E.Mey., 261

juncifolia (Baker) Baker, 252

lapeyrousioides Baker, 250

longicollis Schltr., 264

minuta Klatt, 250

punctata (Andrews) Ker Gawl., 257

var. *filifolia* E.Mey. ex Baker, 261

var. *longicollis* Baker, 264

var. *triticea* (Thunb.) Baker, 257

racemosa Klatt, 246

rubens (Vahl) Ker Gawl., 259

subgen. *Beilia* Eckl. ex Baker, 245

subulata Klatt, 257

triticea (Thunb.) Spreng., 257

unranked *Beilia* Eckl. ex Baker, 245

Wesley-Smith, J., 201

Western Cape, 178, 189, 298, 304

winter rainfall

southern Africa, 1

zone, 83

Worcester Valley, Western Cape, South Africa, 304

Xenoscapa (*Goldblatt*) Goldblatt & J.C.Manning, 283, 284

fistulosa (Spreng. ex Klatt) Goldblatt & J.C.Manning, 286

grandiflora Goldblatt & J.C.Manning, 284

uliginosa Goldblatt & J.C.Manning, 285

Xeranthemum ericoides Lam., 325

Xerothamnus ecklonianus DC., 187

Xiphothea rosmarinifolia A.L.Schutte, 298

